


1. Product and Company Identification

Product Name	LYSOL® Brand (Kills 99% of Bacteria) Neutra Air® Sanitizing Spray (Aerosol), All Scents
UPC CODES	Refer to Section 16
CAS #	Mixture
Product use	Fragrance
Distributed by	Reckitt Benckiser Morris Corporate Center IV 399 Interpace Parkway P.O. Box 225 Parsippany, NJ 07054-0225 In Case of Emergency: 1-800-228-4722 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	3
Physical Hazard	0
Personal Protection	A



2. Hazards Identification

Emergency overview

This product is regulated by the US EPA as a disinfectant.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION

DO NOT spray directly in eyes.

PHYSICAL HAZARDS: CONTENTS UNDER PRESSURE.

Do not use or store near heat or open flame. Do not puncture or incinerate container.

Exposure to temperatures above 130°F may cause bursting.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Potential short term health effects

Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

Eyes

None expected during normal conditions of use.

May cause eye irritation upon direct contact with the eyes.

Skin

None expected during normal conditions of use.

Not expected to be a skin sensitizer.

Inhalation

Do not breathe spray. Use only in a well ventilated area.

Ingestion

Contains denatured ethyl alcohol. May be harmful if swallowed.

Target organs

Eyes. Skin. Respiratory system.

Chronic effects

The finished product is not expected to have chronic health effects.

Signs and symptoms

Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Propane	74-98-6	2.5 - 10
Triethylene glycol	112-27-6	2.5 - 10
Butane	106-97-8	10 - 20
Ethanol	64-17-5	10 - 20

4. First Aid Measures

First aid procedures

Eye contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.

Inhalation

Move to fresh air.

Ingestion

Rinse mouth with water. If symptoms persist, call a physician or Poison Control Centre immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Notes to physician

Contains denatured ethanol; ingestion may result in ethanol poisoning. Treat patient symptomatically.

General advice

Do not puncture or incinerate container. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

5. Fire Fighting Measures

Flammable properties

Flammable Aerosol.

Extinguishing media

Suitable extinguishing media

Treat for surrounding material.

Unsuitable extinguishing media

Not available

Protection of firefighters

Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical impact

Not available

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Small spillages of up to 1 litre (0.26 gallon) may be cleaned up with a mop or an absorbant cloth. Medium spills of up to 5 litres (1.32 gallons) should be absorbed with sand, earth, sawdust or other inert material and transferred to a suitable container for disposal.

7. Handling and Storage

Handling

Use this product with adequate ventilation.
When using do not eat or drink.

Do not puncture or incinerate container.
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Do not pierce or burn after use. Keep away from all sources of ignition. Fires involving aerosols with flammable contents are severe and can spread quickly. Warehouses or stores containing aerosols should therefore be separated from other areas by a fire resistant construction. Stores should be well ventilated. The natural ventilation in a large open warehouse building will normally be suitable.
Does not harm most bathroom surfaces.
Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics.

Storage

Keep out of reach of children. Do not store at temperatures above 49 °C (120.2°F).
Keep away from heat, open flames or other sources of ignition.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

8. Exposure Controls / Personal Protection

Exposure limits**Ingredient(s)****Exposure Limits**

Butane

ACGIH-TLV

TWA: 1000 ppm

OSHA-PEL

Not established

Ethanol

ACGIH-TLV

TWA: 1000 ppm

STEL: 1000 ppm

OSHA-PEL

TWA: 1000 ppm

Propane

ACGIH-TLV

TWA: 1000 ppm

OSHA-PEL

TWA: 1000 ppm

Triethylene glycol

ACGIH-TLV

Not established

OSHA-PEL

Not established

Engineering controls

General ventilation normally adequate.

Personal protective equipment**Eye / face protection**

If splashes are likely to occur, wear: Safety glasses
Emergency responders should wear full eye and face protection.

Hand protection

No special requirements under normal use conditions.
Protective gloves are recommended for prolonged or repeated exposure.
Emergency responders should wear impermeable gloves.

Skin and body protection

Usual safety precautions while handling the product will provide adequate protection against injury or irritation.
Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.
When using do not eat or drink.
Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.
Avoid contact with skin, eyes and clothing.

9. Physical and Chemical Properties

Appearance	Aerosol.
Color	Clear
Form	Misty spray
Odor	Characteristic
Odor threshold	Not available
Physical state	Gas
pH	9.5 - 10.5
Freezing point	Not available
Pour point	Not available
Boiling point	Not available
Flash point	> 82.76 °F (> 28.2 °C) (Concentrate)
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	0.9685
Octanol/water coefficient	Not available
Solubility (H2O)	Complete
Auto-ignition temperature	Not available

10. Stability and Reactivity

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals. Protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Extremes of temperatures can occur in cars and near ovens and fireplaces. Do not place in contact with hot surfaces or near naked flames. Do not pierce or burn after use. Do not spray on a naked flame, onto or near a fire, or any incandescent material such as an electric fire.
Incompatible materials	Caustics. Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Butane	Not available
Ethanol	31623 ppm rat
Propane	Not available
Triethylene glycol	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Butane	Not available
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat
Propane	Not available
Triethylene glycol	7900 mg/kg guinea pig; 12800 mg/kg rat; 8400 mg/kg rabbit; 21000 mg/kg mouse

Effects of acute exposure

Eye	None expected during normal conditions of use. May cause eye irritation upon direct contact with the eyes.
Skin	None expected during normal conditions of use. Not expected to be a skin sensitizer.
Inhalation	Do not breathe spray. Use only in a well ventilated area.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

Ingestion	Contains denatured ethyl alcohol. May be harmful if swallowed.
Sensitization	May cause allergic reactions in some individuals.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.

ACGIH - Threshold Limit Values - Carcinogens

Ethanol	64-17-5	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
---------	---------	---

IARC - Group 1 (Carcinogenic to Humans)

Ethanol	64-17-5	Monograph 96 [in preparation] (in alcoholic beverages)
---------	---------	--

Mutagenicity	The finished product is not expected to have chronic health effects.
Reproductive effects	The finished product is not expected to have chronic health effects.
Teratogenicity	The finished product is not expected to have chronic health effects.
Synergistic Materials	Not available

12. Ecological Information

Ecotoxicity	Bulk quantities, if spilled, may be toxic to aquatic organisms, fish, birds and mammals. Control and clean up all exterior spills and prevent liquid from entering any streams, rivers, lakes and all other bodies of water.
--------------------	--

Ecotoxicity - Freshwater Fish Species Data

Ethanol	64-17-5	96 Hr LC50 Oncorhynchus mykiss: 12.0-16.0 ml/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400-15100 mg/L [flow-through]
Triethylene glycol	112-27-6	96 Hr LC50 Pimephales promelas: 56200-63700 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 10000 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 61000 mg/L [flow-through]

Ecotoxicity - Water Flea Data

Ethanol	64-17-5	48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]
Triethylene glycol	112-27-6	48 Hr EC50 Daphnia magna: 42426 mg/L

Environmental effects	Not available
Aquatic toxicity	May be harmful to aquatic organisms if bulk quantities are spilled into a water source.
Persistence / degradability	Not available
Bioaccumulation / accumulation	Not available
Partition coefficient	Not available
Mobility in environmental media	Not available
Chemical fate information	Not available

13. Disposal Considerations

Waste codes	Not available
--------------------	---------------

Disposal instructions	Dispose in accordance with all applicable regulations. Container disposal: Empty containers may be included with domestic refuse for disposal to a landfill. This container may also be recycled in communities where aerosol container recycling is available. Before offering for recycling, empty the can or use the product according to the label instructions.
Waste from residues / unused products	Not available
Contaminated packaging	Packaging and container to be recycled only if emptied completely.

14. Transport Information

U.S. Department of Transportation (DOT)

UN1950, Aerosols, Class 2.1, Re-Classed as
Consumer Commodity ORM-D

Transportation of Dangerous Goods (TDG - Canada)

UN1950, Aerosols, Flammable, Class 2.1, Re-Classed
as Consumer Commodity

IMDG (Marine Transport)

UN1950 - Aerosols, Class 2.1, Limited Quantity

UN1950 - Aerosols, Flammable, Limited Quantity or
Consumer Commodity, ID8000 if acceptable to airline

15. Regulatory Information

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
CERCLA/SARA Hazardous Substances - Not applicable.

EPA Registration No. - 777-101

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - Yes
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Butane	106-97-8	Present
--------	----------	---------

U.S. - Massachusetts - Right To Know List

Butane	106-97-8	Present
Ethanol	64-17-5	Teratogen
Propane	74-98-6	Present

U.S. - Minnesota - Hazardous Substance List

Butane	106-97-8	Present
Ethanol	64-17-5	Present
Propane	74-98-6	Simple asphyxiant

U.S. - New Jersey - Right to Know Hazardous Substance List

Butane	106-97-8	sn 0273
Ethanol	64-17-5	sn 0844
Propane	74-98-6	sn 1594

U.S. - Pennsylvania - RTK (Right to Know) List

Butane	106-97-8	Present
Ethanol	64-17-5	Present
Propane	74-98-6	Present
Triethylene glycol	112-27-6	Present

U.S. - Rhode Island - Hazardous Substance List

Butane	106-97-8	Toxic; Flammable
Ethanol	64-17-5	Toxic; Flammable
Propane	74-98-6	Toxic; Flammable
Triethylene glycol	112-27-6	Flammable

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

19200-76940-2 - LYSOL® Brand (Kills 99.9% of Bacteria) Neutral Air® Sanitizing Spray (Aerosol), All Scents - 10 oz. - Citrus - 0161387

19200-76938-9 - LYSOL® Brand (Kills 99.9% of Bacteria) Neutral Air® Sanitizing Spray (Aerosol), All Scents - 10 oz. - Fresh - 0161386

19200-78862-5 - LYSOL® Brand (Kills 99.9% of Bacteria) Neutral Air® Sanitizing Spray (Aerosol), All Scents - 16 oz. - Fresh - 0161386

19200-79196-0 - LYSOL® Brand (Kills 99.9% of Bacteria) Neutral Air® Sanitizing Spray (Aerosol), All Scents - 10 oz. - Morning Linen - 0176212

Issue date

08-Jul-2010

Effective date

15-May-2010

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.