

# Material Safety Data Sheet



Revision Date: 11/22/2010  
000000025621/Version: 1.2  
Print Date: 04/04/2011  
Page: 1/8

## 1. Identification of the substance/mixture and of the company/undertaking

**Product name:** D76 Developer, Working Solution

**Product code:** 5160304 - Working Solution

**Supplier:** EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For further information about this product, call (800) 242-2424.

**Synonyms:** None.

**Product Use:** photographic processing chemical (developer/activator), For industrial use only.

## 2. Hazards identification

**CONTAINS:** Sodium sulphite (7757-83-7), Hydroquinone (123-31-9), Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)

**WARNING!**  
**CAUSES SKIN AND EYE IRRITATION**  
**MAY CAUSE ALLERGIC SKIN REACTION**  
**MAY BE HARMFUL IF SWALLOWED**

**HMIS III Hazard Ratings:** Health - 2, Flammability - 0, Reactivity (Stability) - 0

**NFPA Hazard Ratings:** Health - 3, Flammability - 0, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

## 3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
5 - 10	Sodium sulphite (7757-83-7)
0.1 - < 1	Hydroquinone (123-31-9)
0.1 - < 1	Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)

## 4. First aid measures

**Inhalation:** If symptomatic, move to fresh air. Get medical attention if symptoms occur.

**Eyes:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.

# Material Safety Data Sheet



Revision Date: 11/22/2010  
000000025621/Version: 1.2  
Print Date: 04/04/2011  
Page: 2/8

**Skin:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes.

**Ingestion:** If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

## 5. Fire-fighting measures

**Extinguishing Media:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Special Fire-Fighting Procedures:** Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

**Hazardous Combustion Products:** None (noncombustible), (see also Hazardous Decomposition Products sections.)

**Unusual Fire and Explosion Hazards:** None.

## 6. Accidental release measures

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

## 7. Handling and storage

**Personal precautions:** Avoid breathing mist or vapour at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

**Prevention of Fire and Explosion:** No special technical protective measures required.

**Storage:** Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

## 8. Exposure controls/personal protection

### Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Hydroquinone	ACGIH	time weighted average	1 mg/m <sup>3</sup>
	OSHA	time weighted average	2 mg/m <sup>3</sup>
Sulphur dioxide	ACGIH	Short term exposure limit	0.25 ppm
	OSHA	time weighted average	5 ppm 13 mg/m <sup>3</sup>

**Ventilation:** Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions.

## Material Safety Data Sheet



Revision Date: 11/22/2010  
000000025621/Version: 1.2  
Print Date: 04/04/2011  
Page: 3/8

---

Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

**Respiratory protection:** None should be needed. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: Acid gas/N95 Particulate Filter. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

**Eye protection:** Wear safety glasses with side shields (or goggles).

**Hand protection:** Wear impervious gloves and protective clothing appropriate for the risk of exposure.

### 9. Physical and chemical properties

**Physical form:** liquid

**Colour:** colourless

**Odour:** slight

**Specific gravity:** 1.08 - 1.09

**Vapour pressure:** 24 mbar (18.0 mm Hg)

**Vapour density:** 0.6

**Volatile fraction by weight:** 85 - 90 %

**Boiling point/boiling range:** > 100 °C (212.0 °F)

**Water solubility:** complete

**pH:** 8.5

**Flash point:** does not flash

### 10. Stability and reactivity

**Stability:** Stable under normal conditions.

**Incompatibility:** Acids. Contact with strong acids liberates sulphur dioxide.

**Hazardous decomposition products:** Sulphur oxides

**Hazardous Polymerization:** Hazardous polymerisation does not occur.

### 11. Toxicological information

**Effects of Exposure**

**General advice:**

## Material Safety Data Sheet



Revision Date: 11/22/2010  
000000025621/Version: 1.2  
Print Date: 04/04/2011  
Page: 4/8

---

Contains: Hydroquinone. There is insufficient evidence for classifying hydroquinone as a suspected carcinogenic or mutagenic substance in humans. No increases in cancer rates were observed in an epidemiology study which looked at mortality among more than 800 persons employed primarily in the manufacture of hydroquinone. Carcinogenicity studies in animals were inconclusive. Rats and mice were given hydroquinone by stomach tube or at high concentrations in the diet. Responses were not consistent across route of exposure, species or sex. The International Agency for Research on Cancer (IARC) has classified hydroquinone in Group 3, i.e., "not classifiable" as a carcinogen. Hydroquinone is generally negative in bacterial mutagenicity tests; there is evidence for the clastogenicity (chromosome breakage) of hydroquinone in vivo and in vitro. The relevance of chromosomal effects in test animals in predicting human risk is unclear.

Contains: Bis(4-hydroxy-N-methylanilinium) sulphate. Based on animal data, may cause adverse effects on the following organs/systems: blood, kidney, spleen. Based on animal data this material can produce methemoglobin which, in sufficient concentration, causes cyanosis, a blue-gray discoloration of the skin and lips caused by a reduced ability of the blood to carry oxygen.

**Inhalation:** Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

**Eyes:** Causes eye irritation.

**Skin:** Causes skin irritation. May cause allergic skin reaction.

**Ingestion:** May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

### Data for Sodium sulphite (CAS 7757-83-7):

#### Acute Toxicity Data:

Oral LD50 (rat): > 1,600 mg/kg

- Inhalation LC50 (rat): > 5.5 mg/l / 4 hr
- Inhalation LC50 (rat): > 22 mg/l / 1 hr
- Skin irritation: none
- Eye irritation: slight; washing palliative

### Data for Hydroquinone (CAS 123-31-9):

#### Acute Toxicity Data:

Oral LD50 (rat): 400 mg/kg

- Dermal LD50 (guinea pig): > 1,000 mg/kg
- Dermal absorption rate: 1.1 micrograms (s) / cm<sup>2</sup> / hour
- Skin irritation: slight
- Skin Sensitization (guinea pig): positive
- Eye irritation: moderate

#### Mutagenicity/Genotoxicity Data:

Salmonella typhimurium assay (Ames test): negative (in presence and absence of activation)

## Material Safety Data Sheet



Revision Date: 11/22/2010  
000000025621/Version: 1.2  
Print Date: 04/04/2011  
Page: 5/8

---

- Chromosomal aberration assay: negative (in absence of activation)
- Chromosomal aberration assay: positive (in presence of activation)
- Sister chromatid exchange (SCE) assay: positive (in presence and absence of activation)

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

### Repeated dose toxicity:

- Dermal (17-day, rat): NOEL; 3800 mg/kg/day
- Dermal (17-day): Lowest observable effect level; 4800 mg/kg/day

### Developmental Toxicity Data:

Oral (female rabbit): NOEL for developmental toxicity; 25mg/kg/day

### Data for Bis(4-hydroxy-N-methylanilinium) sulphate (CAS 55-55-0):

#### Acute Toxicity Data:

Oral LD50 (rat): 237 mg/kg

- Oral LD50 (mouse): 565 mg/kg
- Dermal LD50 (guinea pig): > 1,000 mg/kg (highest dose tested)
- Skin irritation: slight
- Skin irritation: slight to moderate (repeated skin application)
- Skin Sensitization: positive
- Eye irritation (unwashed eyes): moderate to strong
- Eye irritation (washed eyes): slight

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

### Repeated dose toxicity:

- Oral (11 days): Lowest observable effect level; 1.0 % in diet (reduced feed intake, reduced body weight gain, target organ effects: red blood cell)
- Oral (11 days): NOEL; 0.1 % in diet

## 12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

### Potential Toxicity:

Toxicity to fish (LC50):	10 - 100 mg/l
Toxicity to daphnia (EC50):	10 - 100 mg/l
Toxicity to algae (IC50):	> 100 mg/l
Toxicity to other organisms (EC50):	> 100 mg/l

# Material Safety Data Sheet

Revision Date: 11/22/2010  
000000025621/Version: 1.2  
Print Date: 04/04/2011  
Page: 6/8



**Persistence and degradability:** Readily biodegradable.

**Chemical Oxygen Demand (COD):** ca. 24 g/l

**Biochemical Oxygen Demand (BOD):** ca. 16 g/l

## 13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: [www.kodak.com/go/ship](http://www.kodak.com/go/ship).

## 15. Regulatory information

### Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	All listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

### Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH): A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans: Hydroquinone

## Material Safety Data Sheet



Revision Date: 11/22/2010  
000000025621/Version: 1.2  
Print Date: 04/04/2011  
Page: 7/8

---

International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Hydroquinone
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	Hydroquinone
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Hydroquinone
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	No components found on the California Director's List of Hazardous Substances.
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	No components regulated under the Massachusetts Hazardous Substances Disclosure by Employers Law.
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	No components found on the Minnesota Employee Right-to-Know List of Hazardous Substances.
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	No components regulated under the New Jersey Worker and

## Material Safety Data Sheet



Revision Date: 11/22/2010  
000000025621/Version: 1.2  
Print Date: 04/04/2011  
Page: 8/8

---

U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapters 301-323):	Community Right-to-Know Act. Hydroquinone, Water, Sodium sulphite
U.S. - Rhode Island - Title 28 Labor and Labor Relations (Chapters 28-21 Hazardous Substance Right-to-Know Act):	No components regulated under the Rhode Island Hazardous Substance Right-to-Know Act.

### 16. Other information

---

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

#### US/Canadian Label Statements:

##### D76 Developer, Working Solution

**CONTAINS: Sodium sulphite (7757-83-7), Hydroquinone (123-31-9), Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0).**

**WARNING! CAUSES SKIN AND EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IF SWALLOWED.**

Avoid breathing mist or vapour at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. **FIRST AID:** If symptomatic, move to fresh air. Get medical attention if symptoms occur. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes. If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. **IN CASE OF SPILL:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Additional Components Include: Water (7732-18-5), Sodium tetraborate (1330-43-4).

---

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

---

R-1, S-2, F-0, C-0

# Material Safety Data Sheet



Revision Date: 12/02/2010  
Z17000000084/Version: 2.2  
Print Date: 04/05/2011  
Page: 1/9

## 1. Identification of the substance/mixture and of the company/undertaking

**Product name:** D76 Developer

**Product code:** 5160296

**Supplier:** EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For further information about this product, call (800) 242-2424.

**Synonyms:** PCD 5239

**Product Use:** photographic processing chemical, For industrial use only.

## 2. Hazards identification

**CONTAINS:** Sodium sulphite (7757-83-7), Hydroquinone (123-31-9), Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)

### WARNING!

**MAY LIBERATE SULFUR DIOXIDE  
DUST IRRITATING TO THE EYES AND RESPIRATORY TRACT  
CAUSES SKIN AND EYE IRRITATION  
REPEATED EXPOSURE TO DUST MAY CAUSE EYE INJURY  
HARMFUL IF INHALED OR SWALLOWED  
MAY CAUSE ALLERGIC SKIN REACTION  
MAY CAUSE BLOOD DISORDERS BASED ON ANIMAL DATA  
MAY CAUSE CYANOSIS BASED ON ANIMAL DATA**

**HMIS III Hazard Ratings:** Health - 2\*, Flammability - 0, Reactivity (Stability) - 0

**NFPA Hazard Ratings:** Health - 3, Flammability - 0, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

## 3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
85 - 90	Sodium sulphite (7757-83-7)
1 - 5	Hydroquinone (123-31-9)
1 - 5	Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)
0.1 - < 1	Pentetic acid, pentasodium salt (140-01-2)

## Material Safety Data Sheet



Revision Date: 12/02/2010  
Z17000000084/Version: 2.2  
Print Date: 04/05/2011  
Page: 2/9

### 4. First aid measures

**Inhalation:** If inhaled, remove to fresh air. Get medical attention.

**Eyes:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.

**Skin:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes.

**Ingestion:** If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

#### Notes to physician:

**Treatment:** Absorption of this material into the body leads to the formation of methemoglobin that, in sufficient concentration, causes cyanosis. Since reversion of methemoglobin to hemoglobin occurs spontaneously after termination of exposure, moderate degrees of cyanosis need to be treated only by supportive measures such as bed rest and oxygen inhalation. Thorough cleansing of the entire contaminated area of the body, including scalp and nails, is of utmost importance. If cyanosis is severe, intravenous injection of methylene blue, one milligram per kilogram of body weight, may be of value.

### 5. Fire-fighting measures

**Extinguishing Media:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Special Fire-Fighting Procedures:** Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

**Hazardous Combustion Products:** None (noncombustible), (see also Hazardous Decomposition Products sections.)

**Unusual Fire and Explosion Hazards:** None.

### 6. Accidental release measures

Shovel into suitable container for disposal. Clean surface thoroughly to remove residual contamination.

### 7. Handling and storage

**Personal precautions:** Do not breathe dust at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

**Prevention of Fire and Explosion:** No special technical protective measures required.

# Material Safety Data Sheet



Revision Date: 12/02/2010  
Z17000000084/Version: 2.2  
Print Date: 04/05/2011  
Page: 3/9

**Storage:** Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

## 8. Exposure controls/personal protection

### Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Hydroquinone	ACGIH	time weighted average	1 mg/m <sup>3</sup>
	OSHA	time weighted average	2 mg/m <sup>3</sup>
Sulphur dioxide	ACGIH	Short term exposure limit	0.25 ppm
	OSHA	time weighted average	5 ppm 13 mg/m <sup>3</sup>

**Ventilation:** Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Controls should be sufficient so that applicable occupational exposure limits are not exceeded.

**Respiratory protection:** If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: full-face cartridge respirator with acid gas cartridge and N95 filter.

A respirator should be worn if hazardous decomposition products are likely to be or have been released. Respirator type: acid gas See Stability and Reactivity Section. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

**Eye protection:** Wear safety glasses with side shields (or goggles).

**Hand protection:** Wear impervious gloves and protective clothing appropriate for the risk of exposure.

## 9. Physical and chemical properties

**Physical form:** solid (powder)

**Colour:** off-white

**Odour:** odourless

**Specific gravity:** no data available

**Vapour pressure:** negligible

**Vapour density:** not applicable

**Volatile fraction by weight:** negligible

**Melting point/range:** no data available

**Water solubility:** appreciable

**pH:** not applicable

# Material Safety Data Sheet



Revision Date: 12/02/2010  
Z17000000084/Version: 2.2  
Print Date: 04/05/2011  
Page: 4/9

---

**Flash point:** not applicable

## 10. Stability and reactivity

**Stability:** Stable under normal conditions.

**Incompatibility:** Acids. Contact with strong acids liberates sulphur dioxide.

**Hazardous decomposition products:** Sulphur oxides

**Hazardous Polymerization:** Hazardous polymerisation does not occur.

## 11. Toxicological information

### Effects of Exposure

#### General advice:

Contains: Hydroquinone. There is insufficient evidence for classifying hydroquinone as a suspected carcinogenic or mutagenic substance in humans. No increases in cancer rates were observed in an epidemiology study which looked at mortality among more than 800 persons employed primarily in the manufacture of hydroquinone. Carcinogenicity studies in animals were inconclusive. Rats and mice were given hydroquinone by stomach tube or at high concentrations in the diet. Responses were not consistent across route of exposure, species or sex. The International Agency for Research on Cancer (IARC) has classified hydroquinone in Group 3, i.e., "not classifiable" as a carcinogen. Hydroquinone is generally negative in bacterial mutagenicity tests; there is evidence for the clastogenicity (chromosome breakage) of hydroquinone in vivo and in vitro. The relevance of chromosomal effects in test animals in predicting human risk is unclear.

Contains: Bis(4-hydroxy-N-methylanilinium) sulphate. Based on animal data, may cause adverse effects on the following organs/systems: blood, kidney, spleen. Based on animal data this material can produce methemoglobin which, in sufficient concentration, causes cyanosis, a blue-gray discoloration of the skin and lips caused by a reduced ability of the blood to carry oxygen.

**Inhalation:** Harmful if inhaled. Airborne dust irritating. May cause irritation to the mucous membranes and upper respiratory tract. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

**Eyes:** Causes eye irritation. Airborne dust irritating. Repeated exposure to dust may cause eye injury.

**Skin:** Causes skin irritation. May cause allergic skin reaction based on human experience. May cause skin depigmentation. Prolonged or repeated contact may cause drying, cracking, or irritation.

**Ingestion:** Harmful if swallowed. May cause irritation of the gastrointestinal tract. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

## Material Safety Data Sheet



Revision Date: 12/02/2010  
Z17000000084/Version: 2.2  
Print Date: 04/05/2011  
Page: 5/9

---

### Data for Sodium sulphite (CAS 7757-83-7):

#### Acute Toxicity Data:

Oral LD50 (rat): > 1,600 mg/kg

- Inhalation LC50 (rat): > 5.5 mg/l / 4 hr
- Inhalation LC50 (rat): > 22 mg/l / 1 hr
- Skin irritation: none
- Eye irritation: slight; washing palliative

### Data for Hydroquinone (CAS 123-31-9):

#### Acute Toxicity Data:

Oral LD50 (rat): 400 mg/kg

- Dermal LD50 (guinea pig): > 1,000 mg/kg
- Dermal absorption rate: 1.1 micrograms (s) / cm<sup>2</sup> / hour
- Skin irritation: slight
- Skin Sensitization (guinea pig): positive
- Eye irritation: moderate

#### Mutagenicity/Genotoxicity Data:

Salmonella typhimurium assay (Ames test): negative (in presence and absence of activation)

- Chromosomal aberration assay: negative (in absence of activation)
- Chromosomal aberration assay: positive (in presence of activation)
- Sister chromatid exchange (SCE) assay: positive (in presence and absence of activation)

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

#### Repeated dose toxicity:

- Dermal (17-day, rat): NOEL; 3800 mg/kg/day
- Dermal (17-day): Lowest observable effect level; 4800 mg/kg/day

#### Developmental Toxicity Data:

Oral (female rabbit): NOEL for developmental toxicity; 25mg/kg/day

### Data for Bis(4-hydroxy-N-methylanilinium) sulphate (CAS 55-55-0):

#### Acute Toxicity Data:

Oral LD50 (rat): 237 mg/kg

- Oral LD50 (mouse): 565 mg/kg
- Dermal LD50 (guinea pig): > 1,000 mg/kg (highest dose tested)
- Skin irritation: slight
- Skin irritation: slight to moderate (repeated skin application)
- Skin Sensitization: positive
- Eye irritation (unwashed eyes): moderate to strong
- Eye irritation (washed eyes): slight

## Material Safety Data Sheet

Revision Date: 12/02/2010  
Z17000000084/Version: 2.2  
Print Date: 04/05/2011  
Page: 6/9



Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

### Repeated dose toxicity:

- Oral (11 days): Lowest observable effect level; 1.0 % in diet (reduced feed intake, reduced body weight gain, target organ effects: red blood cell)
- Oral (11 days): NOEL; 0.1 % in diet

### Data for Pentetic acid, pentasodium salt (CAS 140-01-2):

#### Acute Toxicity Data:

Oral LD50 (male rat): 3,200 mg/kg

- Oral LD50 (female rat): 2,263 mg/kg
- Skin Sensitization: none

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

### Repeated dose toxicity:

- Oral (11 days, male rat): NOEL; 100 mg/kg/day

## 12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

### Potential Toxicity:

Toxicity to fish (LC50):	1 - 10 mg/l
Toxicity to daphnia (EC50):	1 - 10 mg/l
Toxicity to algae (IC50):	10 - 100 mg/l

**Persistence and degradability:** Readily biodegradable.

**Chemical Oxygen Demand (COD):** ca. 260 g/l

**Biochemical Oxygen Demand (BOD):** ca. 205 g/l

## 13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

# Material Safety Data Sheet

Revision Date: 12/02/2010  
Z17000000084/Version: 2.2  
Print Date: 04/05/2011  
Page: 7/9



Not regulated for all modes of transportation.

For more transportation information, go to: [www.kodak.com/go/ship](http://www.kodak.com/go/ship).

## 15. Regulatory information

### Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	All listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

### Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans: Hydroquinone
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

## Material Safety Data Sheet



Revision Date: 12/02/2010  
Z17000000084/Version: 2.2  
Print Date: 04/05/2011  
Page: 8/9

California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Hydroquinone
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	Hydroquinone
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Hydroquinone
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	Hydroquinone
U.S. - Rhode Island - Title 28 Labor and Labor Relations (Chapters 28-21 Hazardous Substance Right-to-Know Act):	Hydroquinone
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Hydroquinone
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	Hydroquinone
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	Hydroquinone
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapters 301-323):	Hydroquinone, Sodium hydroxide, Sodium sulphite

### 16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

#### US/Canadian Label Statements:

##### D76 Developer

**CONTAINS: Sodium sulphite (7757-83-7), Hydroquinone (123-31-9), Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0).**

## Material Safety Data Sheet

Revision Date: 12/02/2010  
Z17000000084/Version: 2.2  
Print Date: 04/05/2011  
Page: 9/9

---



**WARNING! MAY LIBERATE SULFUR DIOXIDE. DUST IRRITATING TO THE EYES AND RESPIRATORY TRACT. CAUSES SKIN AND EYE IRRITATION. REPEATED EXPOSURE TO DUST MAY CAUSE EYE INJURY. HARMFUL IF INHALED OR SWALLOWED. MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE BLOOD DISORDERS BASED ON ANIMAL DATA. MAY CAUSE CYANOSIS BASED ON ANIMAL DATA.**

Do not breathe dust at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling. **FIRST AID:** If inhaled, remove to fresh air. Get medical attention. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes. If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately. **Note to Physicians:** Absorption of this material into the body leads to the formation of methemoglobin that, in sufficient concentration, causes cyanosis. Since reversion of methemoglobin to hemoglobin occurs spontaneously after termination of exposure, moderate degrees of cyanosis need to be treated only by supportive measures such as bed rest and oxygen inhalation. Thorough cleansing of the entire contaminated area of the body, including scalp and nails, is of utmost importance. If cyanosis is severe, intravenous injection of methylene blue, one milligram per kilogram of body weight, may be of value. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. **IN CASE OF SPILL:** Shovel into suitable container for disposal. Clean surface thoroughly to remove residual contamination. Additional Components Include: Water (7732-18-5), Boric anhydride (1303-86-2), Sodium tetraborate (1330-43-4).

---

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

---

R-2, S-2, F-0, C-0