

1.0 Product and Company Identification

Identification of the Preparation	HP LaserJet Print Cartridge C4127A/X
Company Identification	Hewlett-Packard Company 11311 Chinden Boulevard Boise, Idaho 83714 United States
Emergency Telephone Number Hewlett- Packard Health Effects Line	1-800-457-4209 (USA and Canada) 503-494-7199 (USA direct) Singapore: +001-800-332-13321
General Information Telephone Number	208-323-2551 (USA direct)
Local Contact Information	Ireland Liffey Park Technology Park Barnhall Road Leixlip, Co. Kildare, Ireland Phone: 01 6150000 United Kingdom
	Hewlett-Packard, Ltd. Cain Road, Amen Corner

Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Phone: 1344 36-0000

Hazard Rating	US NFPA/HMIS
Health	1
Flammability	1
Instability/Reactivity	0
Special	N/A

2.0 Composition/Information on Ingredients

This product is a toner preparation that is used in Hewlett-Packard LaserJet 4000/4050 printers.

Component/Substance	CAS Number	EU Number	% by Weight	Risk Phrases
Styrene Acrylate Copolymer	-	-	40 - 50	-
Iron Oxide	1317-61-9	215-277-5	40 - 50	-

3.0 Hazard Identification

The preparation is not classified according to EU Directive 1999/45/EC

3.1 Routes of Exposure Inhalation, ingestion, skin and eyes.



Ingestion: Skin:	Minimal respiratory tract irritation may occur with exposure to large amount of toner dust. Ingestion is not applicable route of entry for intended use. Unlikely to cause skin irritation May cause eye irritation.
3.3 Chronic Health Hazards 3.4 Carcinogenicity	Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust. Refer to section 11.

4.0 First Aid Measures

Inhalation:	Move person to fresh air immediately. If symptoms occur, consult a physician.
Ingestion:	Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Skin:	Wash affected areas thoroughly with soap and water. If irritation persists, consult a physician.
Eyes:	Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 15 minutes. If irritation persists, consult a physician.

5.0 Fire Fighting Measures

Extinguishing media	CO ₂ , water, dry chemical
Unsuitable Extinguishing Media	None known
Special Firefighting Procedures	None
	Toner material, like most organic material in powder form, is capable of creating a dust explosion. No data available
Flashpoint (method)	Not applicable
	Combustion will produce carbon dioxide and, Possibly toxic chemicals such as carbon monoxide

6.0 Accidental release measures

6.1 Spill or leak procedures	Wear personal protective equipment as described in Section 8. Avoid breathing dust. Minimize the release of particles. Vacuum or sweep the material into a bag or other sealed container. If a vacuum is used, the motor must be rated as dust tight. Dispose of waste toner in accordance with local
	requirements.



6.2 Environmental precautions

Do not discharge into drains (See also section 13 Disposal Considerations).

7.0 Handling and Storage

Advice on safe handling and protection against fire	Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away from excessive heat, sparks, and open flames.
Requirements for storage	Keep out of the reach of children. Keep container
rooms and advice on	closed and store at room temperature. Keep away
storage compatibility	from strong oxidizers.

8.0 Exposure control/ personal protection

8.1 Exposure Limit Values	_
USA OSHA (TWA/PEL):	15 mg/m³ (Total Dust)
	5 mg/m ³ (Respirable Fraction) 10 mg/m ³ (Inhalable Particulate)
ACGIH (TWA/TLV):	10 mg/m ³ (Inhalable Particulate)
	3 mg/m ³ (Respirable Particulate)
TRGS 900 (Luftgrenzwert):	10 mg/m3 (Einatembare Partikel)
	3 mg/m3 (Alveolengängige Fraktion)
8.2 Exposure Controls	
Respiratory protection	Not required under intended use
Ventilation	Good general ventilation should be sufficient
	under intended use
Protective gloves	Not required under intended use
Eye protection	Not required under intended use
Other protective equipment	Not required under intended use

9.0 Physical and chemical properties

	Not applicable 100 - 150°C (Softening Point) Non-flammable solid (according to test methods of USA 16 CFR 1500.44 and 84/449/EEC (Annex V)
Explosive properties	A.10) Toner material, like most organic material in powder form, is capable of creating a dust explosion
Oxidizing properties	No data available
Vapor Pressure	Not applicable
Specific gravity (H ₂ O=1)	1.4 - 1.8
Solubility in water	Negligible
Solubility in organic	Partially soluble in toluene and xylene
solvents	
Partition coefficient	Not applicable
Viscosity	Not applicable



Vapor density Not applicable Evaporation rate Not applicable Physical state Fine powder Color Black Odor Slight plastic odor Other None known

10.0 Stability and reactivity

Stability	Stable under normal storage conditions
Incompatibilities	Strong oxidizers
Hazardous decomposition	Combustion will produce carbon dioxide and,
products	Possibly toxic chemicals such as carbon monoxide
Hazardous polymerization	Will not occur

11.0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures

Acute Toxicity:

Inhalation:	LC ₅₀ :inh-rat>5mg/L/4 hrs. (data from similar toner), not harmful.
Ingestion:	LD ₅₀ :orl-rat>2000 mg/kg (data from ingredients of
	toner), not harmful.
Eye Contact:	Not classified as irritant, according to OSHA Hazard
	Communication Standard (HCS) and EU Directive
	67/548/EEC (data from ingredients of toner).
Skin Contact:	Not classified as irritant, according to OSHA Hazard
	Communication Standard (HCS) and EU Directive
	67/548/EEC.
Chronic Toxicity:	No data available
Sensitization:	Not classified as a sensitizer according to EU
	Directive 67/548/EEC and OSHA HCS (US).
Mutagenicity:	Negative, does not indicate mutagenic potential
	(Ames Test: Salmonella typhimurium)
Carcinogenicity:	Not a known or suspected carcinogen according to
	any IARC Monograph, NTP, OSHA Regulations
	(USA), EU Directive, or Proposition 65 (California)
Reproductive Toxicity:	Not classified as toxic according to EU Directive
	67/548/EEC, California Prop. 65, or DFG
	(Germany).
Other:	Sub-Acute Toxicity (Rat) - 90 day inhalation test, No
	Observable Effect Level (NOEL): 16 mg/m ³ .
	Expected air concentration levels under printing
	conditions are <0.01mg/m ³ .
	_



12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems. Avoid spills and dispose of in accordance with applicable laws and regulations.

13.0 Disposal considerations

Product / unused product / contaminated packaging (for Germany only) Recommendation: consult with the disposal agency and the relevant authorities; cleansing agent is water.

14.0 Transportation information

Not a regulated article under DOT, IATA, ADR, or RID

UN Number	None
Class	None
Proper Shipping Name	None
Packing Group	None
Special Precautions	None

15.0 Regulatory information

US EPA TSCA Inventory US EPA TSCA 12(b) US California Proposition 65	All ingredients are listed on TSCA inventory None None
EU Notification	All components of this product are compliant with
	EU Chemical Inventory regulations.
EU R&S Phrase Information	No European Risk Phrases (labeling data)
Dangerous Components	None
(CAS No.) wt%	
USA Labeling	
Symbol	Not required
Hazard Warning	Not required
Safety Advice	Not required
Hazardous Component(s)	None

16.0 Other information

Date Prepared: HP-DMS Document Control Number:	•
	This document replaces all prior versions of the MSDS
EU Information	This MSDS was prepared in compliance with EU Directive
	91/155/EEC as amended by 2001/58/EC and USA OSHA
	Hazard Communications regulations (29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at



the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or their suitability for a particular application.