



PLUS Corporation International Division
4-1-28, Toranomom, Minato-ku, Tokyo 105-0001, JAPAN
Tel: +81-3-5860-7030 Fax: +81-3-5425-4680

Material safety data sheet

1.PRODUCT AND COMPANY IDENTIFICATION

Product name Correction Tape
STAPLES Product code 12355, 12356, 12357, 12358, 12562, 12569, 16800, 16807,
16809, 16832, 16834, 16836, 18672, 18673, 18674, 18907,
18908, 18909, 20650, 20652, 20653, 34786, 39672, 39673
Manufacturer PLUS CORPORATION
Address 4-1-28 Toranomom Minato-ku Tokyo, Japan
Phone +81-(0)3-5860-7030 / Fax +81-(0)3-5425-4680
Contact person INTERNATIONAL DEP.
Date prepared March, 23, 2011

2.INFORMATION ON INGREDIENTS

Hazardous Components	CAS No.	ACGIH TLV	OSHA PEL	EEC	Other Limits	%
Titanium dioxide	13463-67-7	10.0mg/m3	15.0mg/m3	N/A	N/A	28
Magnesite	546-93-0	10.0mg/m3	15.0mg/m3	N/A	N/A	16
Silica SiO ₂	7631-86-9	20.0mppcf		N/A	N/A	2
Predominant Component	Not Applicable					
Coloring Material						
Resin						
Additive						
Polyethleneterephthalate film						
Impurity						
	None					



PLUS Corporation International Division
4-1-28, Toranomom, Minato-ku, Tokyo 105-0001, JAPAN
Tel: +81-3-5860-7030 Fax: +81-3-5425-4680

3. HAZARDS IDENTIFICATION

Not Applicable

4. FIRST AID MEASURES

SKIN : Wash away ink on skin.
EYE : Wash with water and consult a doctor promptly.
INHALATION : Not applicable
OTHERS : No data available

5. FIRE FIGHTING MEASURES

Extinguishing Media Water mist, Foam, Dry powder, CO2 gas, others

6. ACCIDENTAL RELEASE MEASURES

If inadvertently released, rewind ribbon.

7. HANDLING AND STORAGE

Should be stored in dark cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

allowable concentration

Titanium dioxide	10.0mg/m ³
Magnesite	10.0mg/m ³
Silica SiO ₂	6.0mg/m ³



PLUS Corporation International Division
4-1-28, Toranomom, Minato-ku, Tokyo 105-0001, JAPAN
Tel: +81-3-5860-7030 Fax: +81-3-5425-4680

Eye Protection	N/A
Hand Protection	N/A
Other Protective Clothing or Equipment	N/A

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical condition	:solid
Color	:white
Odor	:odor-free
Boiling Point	:N/A
Melting Point	:N/A
Flash Point	:>150°C
Ignition Temperature	:N/A
Flammable Limits	:LEL N/A UEL N/A
Vapor Pressure	:N/A
PH value	:N/A
Specific Gravity	:N/A
Solubility in Water	:Negligible

10. STABILITY AND REACTIVITY

Stability	N/A
Condition to Avoid	N/A

11. TOXICOLOGICAL INFORMATION

Ames Test	:Negative
Acute Oral	: LD50 > 2,000mg/Kg(MICE)
Primary Skin Irritation	: Nonirritant
Skin Reaction	: Nonirritant



PLUS Corporation International Division
4-1-28, Toranomom, Minato-ku, Tokyo 105-0001, JAPAN
Tel: +81-3-5860-7030 Fax: +81-3-5425-4680

12.ECOLOGICAL INFORMATION

No data available

13.DISPOSAL CONSIDERATIONS

Disposal in accordance with local, state and federal regulations.

14.TRANSPORT INFORMATION

No special

15.REGULATORY INFORMATION

nothing special

16.OTHER INFORMATION

nothing special

Company Name: PLUS CORPORATION

Company Address: 4-1-28, Toranomom, Minato-ku, Tokyo 105-0001, Japan

Authorized Name: KAITA YAMAUCHI

Authorized Signature:

Title: DUPUTY DIVISIONAL DIRECTOR

Date: March 24, 2011