

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the

C8766 Series

preparation

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

 HP Customer Care Line
 1-800-474-6836

 (Toll-free)
 1-800-474-6836

 (Direct)
 1-208-323-2551

 Date prepared
 Jul 13, 2006

 MSDS number
 153834

# 2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/Substance	CAS Number	% By Weight	
Cyan ink			
Water	7732-18-5	> 60	
1,5-pentanediol	111-29-5	< 10	
Ethyl alkyldiol	Proprietary	< 7.5	
2-pyrrolidone	616-45-5	< 7.5	
Substituted phthalocyanine salt # 4	Proprietary	< 5	
Metal nitrate # 2	Proprietary	< 5	
Alkyldiol ethoxylate	Proprietary	< 2.5	
Magenta ink			
Water	7732-18-5	> 60	
1,5-pentanediol	111-29-5	< 10	
Ethyl alkyldiol	Proprietary	< 7.5	
2-pyrrolidone	616-45-5	< 7.5	
Substituted naphthalenesulfonate salt # 11	Proprietary	< 5	
Metal nitrate # 2	Proprietary	< 5	
Alkyldiol ethoxylate	Proprietary	< 2.5	
Yellow ink			
Water	7732-18-5	> 60	
1,5-pentanediol	111-29-5	< 10	
Ethyl alkyldiol	Proprietary	< 7.5	
2-pyrrolidone	616-45-5	< 7.5	
Substituted naphthalenesulfonate salt # 13	Proprietary	< 7.5	
Metal nitrate # 2	Proprietary	< 5	
Alkyldiol ethoxylate	Proprietary	< 2.5	

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

# 3. HAZARDS IDENTIFICATION

**Emergency overview** Contact with skin and eyes may result in irritation.

**Acute health effects**Any potential hazards are presumed to be due to exposure to the components.

Material nameC8766 SERIESMSDS USCreation dateNov 03, 2003Version number 61 / 5

#### Skin contact

1,5-pentanediol

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

Substituted naphthalenesulfonate salt # 13

Contact with skin may result in irritation.

### Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation. Substituted naphthalenesulfonate salt # 11 Contact with eyes may result in irritation. Substituted naphthalenesulfonate salt # 13 Contact with eyes may result in irritation.

#### Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Metal nitrate # 2

Inhalation may result in respiratory irritation. Substituted naphthalenesulfonate salt # 13 Inhalation may result in respiratory irritation.

## Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

# Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

**Chronic health effects** 

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.



# 4. FIRST AID MEASURES

First aid procedures

**Skin** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists get medical attention.

InhalationRemove to fresh air. If symptoms persist, get medical attention.IngestionIf ingestion of a large amount does occur, seek medical attention.

### 5. FIRE FIGHTING MEASURES

Flash point and method > 200 °F; Pensky-Martens Closed Cup

**Hazardous combustion** Refer to section 10.

products

**Extinguishing media** Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

None known.

Special firefighting procedures None established.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions**Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is

released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

## 7. HANDLING AND STORAGE

**Handling** Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure limit values** None established.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

**Exposure guidelines**Use in a well ventilated area.

# 9. PHYSICAL & CHEMICAL PROPERTIES

**pH** 6.2 - 6.8

Vapor pressure Not determined

Boiling point Not determined

Solubility Soluble in water

Specific gravity 1 - 1.2 VOC content < 3 % Flash point  $> 200 \,^{\circ}$ F



Viscosity > 2 cp

Vapor density > 1 (air = 1.0)

Evaporation rate Not determined

Flammability Not determined

Oxidizing properties Not determined

**Color** Cyan, magenta, yellow

### 10. CHEMICAL STABILITY & REACTIVITY INFORMATION

**Stability** Stable under recommended storage conditions.

Hazardous polymerization Will not occur.

Hazardous decomposition

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

**Incompatibility** Incompatible with strong bases and oxidizing agents.

## 11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

### 12. ECOLOGICAL INFORMATION

**Aquatic toxicity** 

products

Cyan ink

LC50/96h/Fathead minnows =< 400 mg/L

Magenta ink

LC50/96h/Fathead minnows =< 400 mg/L

Yellow ink

LC50/96h/Fathead minnows =< 400 mg/L

## 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if

this service is available in your location, please visit http://www.hp.com/recycle.

## 14. TRANSPORTATION INFORMATION

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

**IATA** 

Proper shipping name Not applicable Hazard class Not applicable

Packaging exceptions None Identification number (UN) None Packing group N/A

## 15. REGULATORY INFORMATION

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

**US federal regulations** US TSCA 12(b): Does not contain listed chemicals.

Material nameC8766 SERIESMSDS USCreation dateNov 03, 2003Version number 64 / 5



**HMIS** ratings Health: 1

Flammability: 1 Physical hazard: 0

1 NFPA ratings

Flammability: 1 Instability: 0

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely

hazardous substance

Section 311 hazardous

chemical

No

No

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

## **16. OTHER INFORMATION**

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation

(29 CFR 1910.1200).

Jul 13 2006 10:08AM Issue date

5 Revision

Replaces sheet dated Jan 9 2006 3:59PM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

**Explanation of abbreviations** 

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

**NTP** National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

Resource Conservation and Recovery Act **RCRA** 

REC Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

**TSCA Toxic Substances Control Act** VOC Volatile Organic Compounds

Material name C8766 SERIES MSDS US Creation date Nov 03, 2003 Version number 6 5/5