| MATERIAL SAFETY DATA SHEET | | | | | | | | |
|---|--|----------------------|-------------|--------------------------|----------------|------------|-----------|----------|
| SECTION 1 - PROD | UCT AND | COMPAN | IY IDEN | ITIFICA | TION | | | |
| PRODUCT NAME: #725 Hot Melt Glue GENERAL USE: Adhesive PRODUCT DESCRIPTION: Clear to opaque white to | | | | | | £ | | > |
| MANUFACTURER'S NAME | | DATE PREF | | May 6, 20 | | | Page | 1 of 4 |
| FPC Corporation ADDRESS (NUMBER, STREET, P.O. BOX) | | SUPERSED TELEPHON | | April 22, 2 R FOR INF | 005 ORMATIO | ON | | |
| 355 Hollow Hill Drive | (847) 487-4583 | | | | | | | |
| | COUNTRY EMERGENCY TELEPHONE NUMBER USA (847) 487-4583 | | | | | | | |
| | 1 2 - HAZARDS IDENTIFICATION | | | | | | | |
| EMERGENCY OVERVIEW | | | | | | | | |
| | | | | | | | | |
| POTENTIAL HEALTH EFFECTS | | | | | | | | |
| INHALATION: No effects expected from product in normal solid form. Breathing fumes or vapors of molten material may cause irritation of nose, throat and respiratory tract. | | | | | | | | |
| SKIN: None expected from product in normal solid form. Thermal burns will result from contact with molten material. | | | | | | | | |
| EYES: Contact with normal solid product may cause irritation. Contact with molten material will cause severe thermal burns to eyes. | | | | | | | | |
| INGESTION: Ingestion of solid material may cause ga cause severe thermal burns to mouth and trachea. | astric distress, sto | omach pains, ' | vomiting ar | id diarrhea | . Contact | t with mol | ten mater | ial will |
| CARCINOGENICITY | NTP? | No | IARC MOI | NOGRAPHS? | No | OSHA R | EGULATED? | No |
| SECTION 3 - COMPO | SITION / INI | FORMATI | ON ON | INGREI | DIENTS | S | | |
| HAZARDOUS COMPONENTS | CAS # | EINECS # | % | OSHA | | ACGI | | RQ |
| | | | (by weight) | PPM | MG/M3 | PPM | MG/M3 | LBS |
| | | | | | | | | |
| No hazardous materials present as defined by OSHA | | | | | | | | |
| - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, | | | | | | | | |
| 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC. | | | | | | | | |
| Directive 917 1557 EEC. | | , | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| MATERIAL SAFETY DATA SHEET | | |
|---|---|------------------------------|
| PRODUCT NAME: #725 Hot Melt Glue | | Page 2 of 4 |
| May 6, 2008 | CTION 4 - FIRST AID MEASURES | |
| | n air; if symptoms persist seek medical attention. | <u></u> |
| | | |
| SKIN: For contact with molten material, careful | ly remove contaminated clothing, apply clean, cold water to affected | d area: do not attempt to |
| | with clean, wet compresses; seek immediate medical attention. | |
| EVES: In page of contract with molton material | flush eyes with clear, cool running water for 15 minutes while holdir | a ovolido onon: do not |
| attempt to remove solidified material; seek imm | | ig eyellus open, do hot |
| | | |
| INGESTION. Give two glasses of water for dilu | tion; DO NOT induce vomiting; seek medical attention. | |
| | | |
| | ON 5-FIRE FIGHTING MEASURES | ····· |
| FLASH POINT (METHOD USED) | FLAMMABLE LIMITS LEL: Not applicable | UEL: Not applicable |
| > 450° F (> 232 ° C) GENERAL HAZARDS: Product is not consider | AUTOIGNITION TEMPERATURE: Not determined ed flammable or combustible. Products of combustion include com | NFPA CLASS: None |
| and oxygen, including carbon monoxide. | | pounds of carbon, nydrogen |
| | | |
| EXTINGUISHING MEDIA | | |
| | nical foam. Do not use direct water stream on molten material to pr | event splattering. |
| | · | |
| FIRE FIGHTING PROCEDURES | | |
| None | | |
| UNUSUAL FIRE AND EXPLOSION HAZARDS | | |
| None | | |
| HAZARDOUS COMBUSTION PRODUCTS | | |
| Smoke, fumes or vapors, oxides of carbon. | | |
| SECTION | 6-ACCIDENTAL RELEASE MEASURES | |
| | RELEASED OR SPILLED: Solid material - Recover and segregate | e product for reuse or place |
| product into approved container for landfill disp | osal. Molten material - allow molten material to cool and solidify, pla | |
| container for landfill disposal. CAUTION - molto | en material is hot and will cause thermal burns to skin. | |
| | | |
| SEC1 | ION 7 - HANDLING AND STORAGE | |
| PRECAUTIONS TO BE TAKEN IN HANDLING | AND STORAGE: Keep container closed when not in use; protect c | containers from abuse; store |
| containers in cool, dry area. Keep this and other | | |
| | | |
| | | |
| SECTION 8 - EXPO | OSURE CONTROLS / PERSONAL PROTECTI | ON |
| ENGINEERING CONTROLS | <u></u> | <u></u> |
| The use of local exhaust ventilation and airborn | e particle collection is recommended. No other special controls are | indicated. |
| | | |
| PERSONAL PROTECTION: | | |
| RESPIRATORY PROTECTION: NIOSH appro | ved respirator designed to remove airborne particulate present in ex | |
| concentrations due to secondary operations suc EN 149 for regulations. | ch as mixing, spraying, sanding, buffing, etc. Refer to 29 CFR 1910 | .134 or European Standard |
| PROTECTIVE GLOVES: Heat resistant gloves | | |
| | . Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard El | |
| OTHER PROTECTIVE CLOTHING OR EQUIP | | |
| | | |
| WORK / HYGIENIC PRACTICES Practice saf | e workplace habits. Minimize body contact with this, as well as all c | hemicals in general |

| MATERIAL SAFETY DATA SHEET | | | | | | |
|---|--|--|--|---|--|--|
| PRODUCT NAME: # 725 Hot Melt Glue May 6, 2008 | | | | Page 3 of 4 | | |
| SECTION 9 - PHY | SICAL AN | ID CHEMIC | | | | |
| APPEARANCE AND ODOR | JICAL AN | | | ····· | | |
| Clear to opaque white to light amber solid, odorless | VAPOR DENSITY (AIR = 1) Not applicable | | | | | |
| SPECIFIC GRAVITY (WATER = 1) | | EVAPORATION RATE (Water = 1) | | | | |
| 0.960 | | Not applicable | | | | |
| SOLUBILITY IN WATER | | % VOLATILE (BY WEIGHT) | | | | |
| Negligible | None | | | | | |
| рН | | VAPOR PRESSURE | | | | |
| Not applicable | | Not applicable | | | | |
| BOILING POINT | | | | | | |
| Not applicable | | 176° F (80° C) VOLATILE ORGANIC COMPOUNDS (VOC's) | | | | |
| VISCOSITY Solid | | None | RGANIC COMPOUNDS (VC | JC S) | | |
| | | | | | | |
| | U-STABIL | | REACTIVITY | | | |
| STABILITY UNSTABLE: | | CONDITIONS | TO AVOID: Extreme temperatur | es, store in cool dry area | | |
| STABLE: INCOMPATIBILITY (MATERIALS TO AVOID): Strong | | na ocido | | | | |
| INCOMPATIBILITY (MATERIALS TO AVOID): Strong | j oxidizers, stro | ng acius. | | | | |
| HAZARDOUS DECOMPOSITION OR BYPRODUCTS | S: Decompositi | on will not occur i | if handled and stored properl | y. In case of a fire, oxides of | | |
| carbon, hydrocarbons, fumes or vapors, and smoke m HAZARDOUS POLYMERIZATION MAY OCCUR: | lay be produced | | TO AVOID: None | | | |
| WILL NOT OCCUR: | x | CONDITIONS | TO AVOID. None | | | |
| | | | IFORMATION | | | |
| SECTION II | | | LD50 of Ingredient | LC50 of Ingredient | | |
| Hazardous Ingredients | CAS # | EINECS # | Species and Route | Species | | |
| No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC. | | | | | | |
| | | | | | | |
| | | | | | | |
| SECTION 1 | 2 - ECOLC | OGICAL INF | ORMATION | | | |
| No data are available on the adverse effects of this machemical composition of this product it is assumed that limited quantities. However, such treatment should be this mixture are classified as a Marine Pollutant. SECTION 1 WASTE DISPOSAL METHOD: Dispose of in accordate however, non-hazardous materials may become haza | at the mixture ca e evaluated and 3 - DISPOS nce with local, s | an be treated in a approved for each SAL CONSI state, and federal | n acclimatized biological was ch specific biological system DERATIONS regulations. Product is class | ste treatment plant system in None of the ingredients in sified as non - hazardous, | | |
| waste disposal regulations. Consult your local, state, | | | | | | |
| SECTION 14 - TRANSPORT INFORMATION | | | | | | |
| PROPER SHIPPING NAME: Non - Hazardous for Transport DOT HAZARD CLASS / Pack Group: Not regulated REFERENCE: Not Applicable UN / NA IDENTIFICATION NUMBER: None LABEL: None Required UN TDG Class / Pack Group: Not regulated UN TDG Class / Pack Group: Not regulated | | | | | | |
| HAZARD SYMBOLS: Note: Transportation information provided is for refe Nations TDG, and WHMIS (Canada) TDG informatio packaging materials and methods of shipping. | erence only. Cu | | | IMDG, IATA, EC, United | | |

| MATERIAL SAFETY DATA SHEET | | | | | |
|---|--|---|---|---|---|
| PRODUCT NAME: #725 Hot Melt Glue May 6, 2008 | | | | | Page 4 of 4 |
| SECTION 1 | 5 - REGULA | ATORY INI | - ORM | ATION | |
| TSCA (Toxic Substance Control Act) All components of this product are listed on the U.S. from listing because a Low Volume Exemption has b SARA TITLE III (Superfund Amendments and Reauthor 311/312 Hazard Categories None | een granted in a | | | | or are exempted |
| 313 Reportable Ingredients: None | | | | | |
| CERCLA (Comprehensive Response Compensation a None | nd Liability Act) | | | | |
| California Prop 65, Safe Drinking Water and Toxic Enformation There are no reportable chemicals present known to CPR (Canadian Controlled Products Regulations) This product has been classified in accordance with | the state of Cal | ifornia to cause ria of the Contro | olled Pro | ducts Regulations and the MS | DS contains all the |
| information required by the Controlled Products Reg IDL (Canadian Ingredient Disclosure List) Components of this product identified by CAS number DSL / NDSL (Canadian Domestic Substances List / No | er and listed on on-Domestic Sul | the Canadian Ir bstances List) | gredien | t Disclosure List are shown in | |
| Components of this product identified by CAS number Substances Notification (NSN) regulations. Only ing | | | | | |
| EINECS (European Inventory of Existing Commercial Components of this product identified by CAS number | | | - | - | Substances. |
| WGK Water Quality Index: nwg | VbK Index: Not applicable | | | | |
| Risk Phrases None | SYMBOL(S) FOR L | | RED Safety Phrases None | | |
| | | one | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| SECTIOI | V 16 - OTH | IER INFOR | RMATI | ON | |
| Specific toxicity tests have not been conducted on this ingredients, technical literature, and/or professional ex | | azard evaluatior | is base | d on Information from similar p | products, the |
| HMIS HAZARD RATINGS | | th Mability Ical Hazard | 1 1 0 | * = Chronic Health Hazard 0 = INSIGNIFICANT 1 = SLIGHT | 2 = MODERATE 3 = HIGH 4 = EXTREME |
| PERS | ONAL PROTECT | IVE EQUIPMENT | В | Safety Glasses, Gloves | |
| REVISION SUMMARY: This MSDS has been revised in the following sections: Format revision | | MSDS Prepa Compreher P.O. Box 6 Seffner, FL (863) 644 - | nsive Da 36 33583 | ta Base, Inc. USA www.compdatabase.com or | www.msds.cc |
| The information contained herein is believed to be accurate but is n manufacturer of the product and manufacturers of the components applicable and suited to the circumstances of use. Vendor assume reasonable safety procedures are not adhered to as stipulated in th of this material even if reasonable safety procedures are followed. | of the product. Use s no responsibility fo e data sheet. Furth | rs are advised to co or injury to vendee o ermore, vendor ass | nfirm in a or third per umes no r | dvance of need that information is cur sons proximately caused by the mate esponsibility for injury caused by abn | rent, prial if prmal use |

described in Section 1.