

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation	C8765 Series
Use of the preparation	Inkjet printing
Manufacturer information	Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US
Hewlett-Packard health effects I	ine
(Toll-free within the US)	1-800-457-4209
(Direct)	1-503-494-7199
General information telephone r	lumber
HP Customer Care Line	1-800-474-6836
(Toll-free)	1-800-474-6836
(Direct)	1-208-323-2551
Date prepared	Aug 17, 2005
MSDS number	64123

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight
Water	7732-18-5	> 70
2-pyrrolidone	616-45-5	< 10
1,5-pentanediol	111-29-5	< 5
Modified carbon black #6 Substituted diol	Proprietary Proprietary	< 5 < 2.5
Composition comments	This ink supply contains an aqueous ink form This product has been evaluated using criteria Communication Standard).	
AZARDS IDENTIFICATION	1	
Emergency overview	Contact with skin and eyes may result in irrita	tion.
Acute health effects	Any potential hazards are presumed to be due	e to exposure to the components.
Skin contact		
	<i>1,5-pentanediol</i> Contact with skin may result in irritation.	
	2-pyrrolidone Contact with skin may result in irritation.	
	Substituted diol Contact with skin may result in irritation.	
Eye contact		
	<i>1,5-pentanediol</i> Contact with eyes may result in irritation.	
	2-pyrrolidone Contact with eyes may result in irritation.	
	Substituted diol Contact with eyes may result in irritation.	
Inhalation		
	2-pyrrolidone	



Special firefighting procedures	None established.
Unusual fire and explosion hazard	None known.
Unsuitable extinguishing media	None known.
Extinguishing media	Dry chemical, CO2, water spray or regular foam.
Hazardous combustion products	Refer to section 10.
Flash point and method	> 93.3 °C (> 200 °F); Pensky-Martens Closed Cup
FIRE FIGHTING MEASURES	
Ingestion	If ingestion of a large amount does occur, seek medical attention.
Inhalation	Remove to fresh air. If symptoms persist, get medical attention.
Eye	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Skin	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
First aid procedures	
FIRST AID MEASURES	
Carcinogenicity	None of the components present in this formulation at concentrations equal to or greater tha 0.1% are listed by EU, MAK, IARC, NTP or OSHA.
Chronic health effects	Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of fine dust particles is not expected to occur during normal conditions of use of th ink.
	Complete toxicity data are not available for this specific formulation
	Inhalation of vapor and ingestion are not expected to be significant routes of exposure for th product under normal use conditions.
Routes of exposure	Potential routes of overexposure to this product are skin and eye contact
Potential health effects	Ingestion may result in nausea, vomiting and diarrhea.
	2-pyrrolidone
Ingestion	

Personal precautions	Wear appropriate personal protective equipment.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
Procedures if material is released or spilled	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes and clothing.
Storage	Keep out of the reach of children. Keep away from excessive heat or cold.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values	Exposure limits have not been established for this product.
Personal protective equipment	
General	Use personal protective equipment to minimize exposure to skin and eye.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Exposure guidelines	Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

рН	7.5 - 8.2
Vapor pressure	Not determined
Boiling point	Not determined
Solubility	Soluble in water
Specific gravity	1 - 1.2
VOC content	< 3 %
Flash point	> 93.3 °C (> 200 °F)
Viscosity	> 2 cp
Vapor density	> 1 (air = 1.0)
Evaporation rate	Not determined
Flammability	Not determined
Oxidizing properties	Not determined
Color	Black

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability	Stable under recommended storage conditions.
Hazardous polymerization	Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatibility	Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects. Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity

LC50/96h/Fathead minnows =>750 mg/L.

13. DISPOSAL CONSIDERATIONS

Disposal instructions

Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORTATION INFORMATION

General

Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.



ΙΑΤΑ

Proper shipping name	Not applicable
Hazard class	Not applicable
Packaging exceptions	None
Identification number (UN)	None
Packing group	N/A

15. REGULATORY INFORMATION

15. REGULATORY INFORMATIO	N	
International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.	
US federal regulations	US TSCA 12(b): Contains sodium nitrite (CASRN 7632-00-0), subject to export notification requirements.	
HMIS ratings	Health:1Flammability:1Physical hazard:0	
NFPA ratings	Health:1Flammability:1Instability:0	
Superfund Amendments and Re	authorization Act of 1986 (SARA)	
Section 302 extremely hazardous substance	No	
Section 311 hazardous chemical	No	
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
16. OTHER INFORMATION		
Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).	
Issue date	Aug 17 2005 3:07PM	
Revision	5	
Replaces sheet dated	Jul 26 2005 11:21AM	
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.	



Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds