

## MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

**Material name** 1247-121 Acry-Shield 100% Acrylic Exterior Satin Enamel White Base

Version # 01

Issue date 03-21-2013

**Revision date** Supersedes date

CAS# Mixture **Product code** 1247-121 Product use Paint.

Manufacturer/Supplier Kelly-Moore Paint Co., Inc.

**Address** 987 Commercial St., San Carlos, CA 94070

E-mail: rstetson@kellymoore.com

Telephone number: 1-800-874-4436 Not available. E-mail Not available. **Contact person** 

**Emergency Telephone** 

Number:

CHEMTREC: 1-800-424-9300

#### 2. Hazards Identification

**Physical state** Liquid.

**Appearance** Milky white to colored liquid.

**Emergency overview** CAUTION

Prolonged or repeated contact may dry skin and cause irritation.

**OSHA** regulatory status This product is not hazardous according to OSHA 29CFR 1910.1200.

Potential health effects

Routes of exposure Inhalation. Skin contact.

**Eves** Direct contact with eyes may cause temporary irritation.

Skin Prolonged or repeated contact may dry skin and cause irritation.

Inhalation Prolonged inhalation may be harmful. Ingestion Ingestion may cause irritation and malaise.

**Target organs** Central nervous system. Skin.

**Chronic effects** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Organic solvents may be absorbed into the body by inhalation and cause permanent damage to

the nervous system, including the brain.

Signs and symptoms Defatting of the skin. Vapors may cause drowsiness and dizziness.

Potential environmental effects The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### 3. Composition / Information on Ingredients

Components	CAS#	Percent
Titanium dioxide	13463-67-7	1-20
Silicon dioxide	7631-86-9	1-5

Components not listed are either non-hazardous or are below reportable limits. All concentrations **Composition comments** are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**CPH MSDS US** 

#### 4. First Aid Measures

First aid procedures

Eye contact Any material that contacts the eye should be washed out immediately with water. If easy to do,

remove contact lenses. Get medical attention if symptoms persist.

**Skin contact** Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of

water. Get medical attention if irritation persists after washing.

**Inhalation** Move to fresh air. Oxygen or artificial respiration if needed. Get medical attention if any discomfort

continues.

**Ingestion** Immediately rinse mouth and drink plenty of water. Keep person under observation. If person

becomes uncomfortable take to hospital along with these instructions.

Notes to physician Treat symptomatically.

General advice If you feel unwell, seek medical advice (show the label where possible). Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire Fighting Measures

Flammable properties The product is not flammable.

**Extinguishing media** 

Suitable extinguishing

media

 $\label{eq:carbon_dioxide} \textbf{Extinguish with foam, carbon dioxide, dry powder or water fog.}$ 

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

**Protection of firefighters** 

Protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed

containers cool.

#### 6. Accidental Release Measures

Personal precautions Avoid inhalation of vapors and contact with skin and eyes. Wear appropriate personal protective

equipment (See Section 8).

**Environmental precautions** 

**Methods for containment** 

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Prevent entry into waterways, sewer, basements or confined areas.

**Methods for cleaning up** Should not be released into the environment.

Large Spills: Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination. Following product recovery, flush area with water.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the

MSDS.

### 7. Handling and Storage

**Handling** Provide adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor.

Wear appropriate personal protective equipment. Wash thoroughly after handling. Observe good

industrial hygiene practices.

Storage Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from

incompatible materials.

## 8. Exposure Controls / Personal Protection

Occupational exposure limits No

No exposure limits noted for ingredient(s).

**Engineering controls** 

Use process enclosures, local exhaust ventilation, or other engineering controls to control

airborne levels below recommended exposure limits.

Personal protective equipment

Eye / face protection

Use safety glasses, goggles, or face shield to protect eyes.

Skin protection

Wear protective gloves. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. Wear suitable protective clothing.

1247-121 Acry-Shield 100% Acrylic Exterior Satin Enamel White Base 912872 Version #: 01 Revision date: - Issue date: 03-21-2013

Use NIOSH certified, air purifying respirators with N-, P-, or R- series particulate filter and organic Respiratory protection

> vapor cartridges when concentration of vapor or mist exceeds applicable exposure limits. protection provided by air-purifying respirators is limited. Selection and use of respiratory protective equipment should be in accordance with OSHA General Industry Standard 29 CFR 1910.134. Consult a qualified industrial hygienist or Safety Professional for respirator selection

guidance.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical & Chemical Properties

**Appearance** Milky white to colored liquid.

Physical state Liquid. **Form** Liquid. Color Various.

Odor Slightly ammoniacal.

**Odor threshold** Not available.

7 - 10 pН

Not available. Vapor pressure >= 1 (Air=1) Vapor density Not available. **Boiling point** Melting point/Freezing point Not available. Solubility (water) Moderately soluble

Specific gravity Not available. Not available. Flash point Flammability limits in air, Not available.

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not available. **Auto-ignition temperature Evaporation rate** < 1 (n-BuAc=1)

#### 10. Chemical Stability & Reactivity Information

Chemical stability Material is stable under normal conditions. Conditions to avoid Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong acids.

Hazardous decomposition

products

No hazardous decomposition products are known.

Possibility of hazardous

reactions

Will not occur.

# 11. Toxicological Information

Sensitization Not a skin sensitizer.

Acute effects In high concentrations, vapors and spray mists are narcotic and may cause headache, fatique,

dizziness and nausea. Ingestion may cause irritation and malaise.

**Chronic effects** Prolonged or repeated contact may dry skin and cause dermatitis. Organic solvents may be

absorbed into the body by inhalation and cause permanent damage to the nervous system,

including the brain.

Carcinogenicity Potentially carcinogenic components are typically only present in trace amounts. Due to the form

of the product, exposure to the potentially carcinogenic components is not expected.

**ACGIH Carcinogens** 

Titanium dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Silicon dioxide (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Components of the product may be absorbed into the body through the skin. **Further information** 

### 12. Ecological Information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulation / Accumulation

**Environmental effects** 

No data available.

Mobility in environmental

media

The product is miscible with water. May spread in water systems.

### 13. Disposal Considerations

Waste codes Not regulated.

**Disposal instructions** Do not allow this material to drain into sewers/water supplies. This product, in its present state,

when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose in

accordance with all applicable regulations.

Waste from residues / unused

products

Dispose in accordance with applicable federal, state, and local regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport Information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

### 15. Regulatory Information

US federal regulations This product is not hazardous according to OSHA 29CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### **CERCLA (Superfund) reportable quantity**

None

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance (40 CFR 355, Appendix A)

Section 311/312 (40 CFR

Nο

370)

Inventory status

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

4/5

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

State regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

1247-121 Acry-Shield 100% Acrylic Exterior Satin Enamel White Base CPH MSDS US

### US - California Hazardous Substances (Director's): Listed substance

Silicon dioxide (CAS 7631-86-9) Listed.

US - New Jersey RTK - Substances: Listed substance

Silicon dioxide (CAS 7631-86-9) Listed. Titanium dioxide (CAS 13463-67-7) Listed.

**US. Massachusetts RTK - Substance List** 

Silicon dioxide (CAS 7631-86-9) Listed.
Titanium dioxide (CAS 13463-67-7) Listed.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Silicon dioxide (CAS 7631-86-9) Listed. Titanium dioxide (CAS 13463-67-7) Listed.

### 16. Other Information

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 0

Flammability: 1 Instability: 0

**Disclaimer** The information in the sheet was written based on the best knowledge and experience currently

available.

1247-121 Acry-Shield 100% Acrylic Exterior Satin Enamel White Base 912872 Version #: 01 Revision date: - Issue date: 03-21-2013