

## 1.0 Product and Company Identification

Identification of the Preparation	HP LaserJet Q5942A/X Print Cartridge
Company Identification	Hewlett-Packard Company 11311 Chinden Boulevard Boise, Idaho 83714 United States
Emergency Telephone Number Hewlett- Packard Health Effects Line	1-800-457-4209 (USA and Canada) 503-494-7199 (USA direct) Singapore: +001-800-332-13321
General Information Telephone Number	208-323-2551 (USA direct)
Local Contact Information	<b>Ireland</b> Liffey Park Technology Park Barnhall Road Leixlip, Co. Kildare, Ireland Phone: 01 6150000

### United Kingdom

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Phone: 1344 36-0000

Hazard Rating	<b>US NFPA/HMIS</b>
Health	1
Flammability	1
Instability/Reactivity	0
Special	N/A

### 2.0 Composition/Information on Ingredients

This product is a toner preparation that is used in Hewlett-Packard LaserJet 4250 and 4350 series printers.

Component/Substance	CAS Number	EU Number	% by Weight	<b>Risk Phrases</b>
Polyester Resin	-	-	40 - 50	-
Iron Oxide	1317-61-9	215-277-5	40 - 50	-
Amorphous silica	-	-	1 - 3	-

## 3.0 Hazard Identification

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, and as amended.



3.1 Routes of Exposure	Inhalation, Ingestion, skin and eyes.
3.2 Acute Health Hazards	
Inhalation:	Minimal respiratory tract irritation may occur with exposure to large amount of toner dust.
Ingestion:	Ingestion is not applicable route of entry for intended use.
Skin:	Unlikely to cause skin irritation.
Eyes:	May cause transient slight irritation.
3.3 Chronic Health Hazards	Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.
3.4 Carcinogenicity	Refer to section 11.

### 4.0 First Aid Measures

Inhalation:	Move person to fresh air immediately. If symptoms occur, consult a physician.
Ingestion:	Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Skin:	Wash affected areas thoroughly with soap and water. If symptoms occur, consult a physician.
Eyes:	Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 5 minutes. If symptoms occur, consult a physician.

## 5.0 Fire Fighting Measures

Extinguishing media	CO <sub>2</sub> , water, dry chemical
Unsuitable Extinguishing Media	None known
Special Firefighting Procedures	None
hazards	Toner material, like most organic material in powder form, is capable of creating a dust explosion.
Auto-ignition temperature	No data available
Flashpoint (method)	Not applicable
Hazardous Combustion Products	CO, CO <sub>2</sub>



6.0 Accidental release measures

6.1 Spill or leak procedures	Avoid breathing dust. Minimize the release of particles. Vacuum or sweep the material into a bag or other sealed container. If a vacuum is used, the motor must be rated as dust explosion-proof. Dispose of waste toner in accordance with local requirements.
6.2 Environmental precautions	Do not discharge into drains (See also section 13 Disposal Considerations).

## 7.0 Handling and Storage

Advice on safe handling and protection against fire	Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away from excessive heat, sparks, and open flames.
Requirements for storage	Keep out of the reach of children. Keep container
rooms and advise on	closed and store at room temperature. Keep away
storage compatibility	from strong oxidizers.

### 8.0 Exposure control/ personal protection

#### 8.1 Exposure Limit Values

<b>USA OSHA (TWA/PEL):</b>	15 mg/m <sup>3</sup> (Total Dust)
	5 mg/m <sup>3</sup> (Respirable Fraction)
ACGIH (TWA/TLV):	10 mg/m <sup>3</sup> (Inhalable Particulate)
	3 mg/m <sup>3</sup> (Respirable Particulate)
DFG (MAK):	4 mg/m3 (Einatembare Partikel)
	1.5 mg/m3 (Alveolengängige Fraktion)
Amorphous Silica:	USA OSHA (TWA/PEL) - 20 mppcf,
	$80(mg/m^3)/\%SiO_2 ACGIH (TWA/TLV) - 10 mg/m^3$
	DFG (MAK) - 4 mg/m <sup>3</sup> (Respirable Fraction)
8.2 Exposure Controls	
Respiratory protection	Not required under intended use.
Ventilation	Good general ventilation should be sufficient under
	intended use.
Protective gloves	Not required under intended use.
Eye protection	Not required under intended use.
Other protective equipment	Not required under intended use.

## 9.0 Physical and chemical properties

рН	Not applicable
<b>Boiling point</b>	Not applicable
Flash point	Not applicable
Melting point	100 - 150°C (Softening Point)
Flammability	Non-flammable solid (according to test methods of
-	EU Directive 92/69/EEC, A10 Flammability (Solids))



Explosive properties	Toner material, like most organic material in powder
	form, is capable of creating a dust explosion.
Oxidizing properties	
Vapor Pressure	Not applicable
Specific gravity (H <sub>2</sub> O=1)	1.4 - 1.8
Solubility in water	Negligible
Solubility in organic	Partially soluble in toluene and xylene.
solvents	
Partition coefficient	Not applicable
Viscosity	Not applicable
Vapor density	Not applicable
Evaporation rate	Not applicable
Physical state	Fine powder
Color	Black
Odor	Slight plastic odor
	<b>o</b> 1
Other	Decomposition temperature: > 200 °C

## **10.0** Stability and reactivity

Stability	Stable under normal storage conditions
Incompatibilities	Strong oxidizers
Hazardous decomposition	$CO, CO_2$
products	
Hazardous polymerization	Will not occur

## **11.0** Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures

Inhalation:	Not available	
Ingestion:	LD <sub>50</sub> :orl-rat>2000 mg	/kg, not harmful.
Eye Contact:		ant, according to OSHA Hazard dard (HCS) and EU Directive amended.
Skin Contact:	Communication Stan 67/548/EEC and as a	ant, according to OSHA Hazard dard (HCS) and EU Directive amended.
Chronic Toxicity:	No data available.	
Sensitization:		ensitizer according to EU C and as amended, and OSHA
Mutagenicity:	Negative, does not in (Ames Test: Salmone	dicate mutagenic potential ella typhimurium)
Carcinogenicity:	Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).	
Reproductive Toxicity:	Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).	
r 11 2004	Page 4 of 6	HP Lasor lot O50424/X Print Cartrid



Other: None known

#### 12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems. Avoid spills and dispose of in accordance with applicable laws and regulations.

#### **13.0** Disposal considerations

Do not put toner or print cartridge into fire; heated toner may cause severe burns. Do not shred print cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulation.

#### 14.0 Transportation information

Not a regulated article under DOT, IATA, ADR, or RID

UN Number	None
Class	None
Proper Shipping Name	None
Packing Group	None
Special Precautions	None

#### 15.0 Regulatory information

US EPA TSCA Inventory US EPA TSCA 12(b) US California Proposition 65	All chemical substances in this product comply with all rules or orders under TSCA. Contains p-Xylene - [CAS No. 106-42-3] None
EU Notification	
EU Notification	All components in this product are compliant with EU Chemical Inventory regulations.
EU R&S Phrase Information	No European Risk Phrases (labeling data)
Dangerous Components	None
(CAS No.) wt%	
USA Labeling	
Symbol	Not required
Hazard Warning	Not required
Safety Advice	Not required
Hazardous Component(s)	None

#### **16.0** Other information

Date Prepared:	October 11, 2004
HP-DMS Document Control	09000de780061bea-eng
Number:	
<b>Revision Information:</b>	This replaces all prior versions of the MSDS.



EU & US Information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC and USA OSHA Hazard Communications regulations (29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the product as described or its suitability for a particular application.