Material Safety Data Sheet



Chromatography Solvent

Revised: 07/13/2010 **Replaces:** 07/06/2010 **Printed:** 08/02/2010

Carolina Biological Supply Company

2700 York Rd I Burlington, NC 27215 • to order: 800.334.5551 • for support: 800.227.1150

Section 1 - Product Description

Product Name: Chromatography Solvent Product Code(s): 74-6865, 74-6470, 74-6475, 84-0546, 10-1036, 68-8950, 68-6865, 68-8953, C70594 Size: 120 mL Chemical Name: N/A CAS Number: See Section 3 Formula: See Section 3 Synonyms: Petroleum Ether: Acetone Solution Distributor: Carolina Biological Supply Company, 2700 York Road, Burlington, NC 27215 Chemical Information: 800-227-1150 (8am-5pm (ET) M-F) Chemtrec 800-424-9300 (Transportation Spill Response 24 hours)

Section 2 - Hazard Identification

Emergency Overview: Vapours may cause drowsiness and dizziness. Irritating to eyes, respiratory system and skin. Harmful by inhalation and if swallowed. Extremely flammable.

Potential Health Effects: Eyes: May cause irritation.

Ingestion: May cause gastrointestinal discomfort.

Skin: May cause irritation to skin. **Inhalation:** May cause irritation to respiratory tract.

Section 3 - Composition / Information on Ingredients

Principal Hazardous Components: Petroleum Ether (CAS#8032-32-4) 90%; Acetone (CAS#67-64-1) 10%
TLV units: Petroleum Ether: ACGIH-TLV 300 ppm (TWA)
Acetone: ACGIH-TLV 750 ppm (STEL) 500 ppm (TWA)
PEL units: Acetone: OSHA-PEL 1000 ppm (TWA)

Section 4 - First Aid Measures

Emergency and First Aid Procedures:

Eyes - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin - After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of ... (Water, unless specified as a water reactive material).

Ingestion - If swallowed, rinse mouth with water (only if the person is conscious). If swallowed, do not induce vomiting: seek

medical advice immediately and show this container or label.

Inhalation - In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Section 5 - Firefighting Procedures

Flash Point (Method Used): (Petroleum Ether) -18 °C (CC) (Acetone) -20 °C (CC)
NFPA Rating:

Health: 1
Fire: 3
Reactivity: 0

Extinguisher Media: Use media suitable to extinguish surrounding fire.
Flammable Limits in Air % by Volume: (Petroleum Ether) LEL: 1.1% UEL: 5.9%
Autoignition Temperature: N/A
Special Firefighting Procedures: Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.
Unusual Fire and Explosion Hazards: Risk of explosion if heated under confinement.

Extremely flammable.

Section 6 - Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled: Ventilate area of spill. Eliminate all sources of ignition. Remove all non-essential personnel from area. Clean-up personnel should wear proper protective equipment and clothing. Absorb material with suitable absorbent and containerize for disposal.

Section 7 - Special Precautions

Precautions to Take in Handling or Storing: Keep container tightly closed in a cool, well-ventilated place.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

Keep away from sources of ignition - No smoking.

Keep away from ... (incompatible materials to be indicated by the manufacturer).

Section 8 - Protection Information

Respiratory Protection (Specify Type): None needed under normal conditions of use with adequate ventilation. A NIOSH/MSHA chemical cartridge respirator should be worn if PEL or TLV is exceeded.

Ventilation: Local Exhaust: Yes Mechanical(General): Yes Special: No Other: No Protective Gloves: Natural rubber, Neoprene, PVC or equivalent. Eye Protection: Splash proof chemical safety goggles should be worn. Other Protective Clothing or Equipment: Lab coat, apron, eye wash, safety shower.

Section 9 - Physical Data

Molecular Weight: N/A Boiling Point: 35-60 °C (Pet. Ether) Vapor Density(Air=1): 2.5 (Pet. Ether) Percent Volatile by Volume: 90-100% Solubility in Water: Practically Insoluble Melting Point: -73 °C (Pet. Ether) Vapor Pressure: N/A Specific Gravity (H2O=1): 0.6 (Pet. Ether) Evaporation Rate (BuAc=1): 6.82 (Pet.Ether) Appearance and Odor: Clear, colorless liquid with characteristic

odor.

Section 10 - Reactivity Data

Stability: Stable **Conditions to Avoid:** Heat and sources of ignition. **Incompatibility (Materials to Avoid):** Oxidizers, **Hazardous Decomposition Products:** COx, **Hazardous Polymerization:** Will not occur

Section 11 - Toxicity Data

Toxicity Data: (Petroleum Ether) inh-rat LC50 3400 ppm/4H (Acetone) orl-rat LD50 10700 mg/kg
Effects of Overexposure: Acute: See Section 2 Chronic: Not listed as a carcinogen by IARC, NTP or OSHA.
Conditions Aggravated by Overexposure: N/A
Target Organs: Central Nervous System, Respiratory system, Kidneys, Primary Route(s) of Entry: Inhalation and ingestion.

Section 12 - Ecological Data

EPA Waste Numbers: D001, U002

Section 13 - Disposal Information

Waste Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.

Section 14 - Transport Information

DOT Proper Shipping Name: UN1993, Flammable Liquid, n.o.s. (Petroleum Ether, Acetone), 3, II

Section 15 - Regulatory Information

EPA TSCA Status: On TSCA Inventory **Hazard Category for SARA Section 311/312 Reporting:** Fire Acute

Name List: Petroleum Ether: No Acetone: Yes **Chemical Category:** Petroleum Ether: No Acetone: No

CERCLA Section 103 RQ(lb.): Petroleum Ether: No Acetone: 5000 **RCRA Section 261.33:** Petroleum Ether: No Acetone: Yes

Section 16 - Additional Information

The information provided in this Material Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a

particular application of the substance covered in the Material Safety Data Sheet. Any employer must carefully assess the applicability of any information contained herein in regards to the particular use to which the employer puts the material.

Glossary	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS Number	Chemical Services Abstract Number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
DOT	U.S. Department of Transportation
IARC	International Agency of Research on Cancer
N/A	Not Available
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
ppm	Parts per million
RCRA	Resource Conservation and Recovery Act
SARA	Superfund Amendments and Reauthorization Act
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act