

Product Name: WITE-OUT® Water Base Correction Fluid WITE-OUT® Ecolutions Water Base Correction Fluid

MATERIAL SAFETY DATA SHEET

Date Prepared: March 22, 2010 Vers

Version 4

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION			
Product Name:	WITE-OUT® Water Base Correction Fluid WITE-OUT® Ecolutions Water Base Correction Fluid		
Synonyms:	None		
Product Use:	Correction fluid		
Manufacturer/ Vendor Information:	Manufactured for/Distributed by: BIC Corporation One BIC Way, Suite 1 Shelton, CT 06484 USA (203) 783-2000 Emergency Telephone Number: (203) 783-2412 Supplier Information: BIC Inc. 155 Oakdale Road Downsview, Ontario M3N 1W2 CANADA (416) 742-9173 x288 (Business hours)		
MSDS Contact:	Product Safety		
Telephone number:	(203) 783-2124		

	SECTION 2 - COMPOSITION/ INFORMATION ON INGREDIENTS			
Substance or	Preparation:			
CAS No.	Chemical Name	ACGIH (TLV) and OSHA (PEL) and NIOSH (REL) Exposure Limits	% by Weight	
79-10-7	Acrylic acid	TLV-TWA: 2 ppm NIOSH REL: TWA 2 ppm (6 mg/m ³) [skin]	1-5	
107-21-1	Ethylene glycol	100 mg/m3 (CEILING)	1-5	
1317-65-3	Limestone	PEL: TWA: 15 mg/m ³ (dust) PEL: TWA: 15 mg/m ³ (respirable) NIOSH REL: TWA 10 mg/m ³ (total); TWA 5 mg/m ³ (resp)	10-30	
13463-67-7	Titanium dioxide	TLV-TWA: 10 mg/m ³ PEL: TWA: 15 mg/m ³	30-60	

TLV = Threshold Limit Value, PEL = Permissible Exposure Limit, TWA= Time-Weighted Average,

REL = Recommended Exposure Limit

Correction Fluid WITE-OUT® Ecolutions Water Base Correction Fluid

SECTION 3 - HAZARDS IDENTIFICATION	
	Mild eye irritation may occur if product comes in contact with eyes. May be harmful if swallowed. May be a skin sensitizer to sensitive individuals upon repeated or prolonged contact. Inhalation of mists of this material may cause respiratory tract irritation.
For more information refer to Costion 44 of this MCDC	

For more information refer to Section 11 of this MSDS

	SECTION 4 - FIRST-AID MEASURES	
Eyes:	Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes, or until the chemical is removed, while holding the eyelid(s) open. Obtain medical advice immediately.	
Skin:	If irritation does occur, wash skin with soap and warm water to remove product. Flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed and seek medical advice.	
Inhalation:	If symptoms are experienced remove source of contamination or move victim to fresh air and obtain medical advice.	
Ingestion:	Consult a physician IMMEDIATELY.	

SECTION 5: FIRE-FIGHTING MEASURES		
Flash point:	>110°C (>230°F) (Pensky Martens Closed cup ASTM D-93)	
	Not Applicable Not Applicable	
Conditions of Flammability	Not Applicable. Water-based product will not support combustion.	
Extinguishing Media:	Use appropriate extinguishing media for surrounding fire (<i>e.g.</i> CO ₂ , Foam, Dry Chemical)	
Special Firefighting Procedures:	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.	
Hazardous Combustion Products:	Carbon monoxide, carbon dioxide, reactive hydrocarbons, carbonyl compounds, ammonia, nitrogen oxides, smoke, and irritating vapours may be produced on decomposition.	

SECTION 6: ACCIDENTAL RELEASE MEASURES		
Personal Precautions:	Wear appropriate personal protective equipment for your use. Ventilate area.	
	In case of large spills, wear self-contained breathing apparatus.	
Environmental Precautions:	: Avoid contaminating sewers, streams, rivers and other watercourses with	
	spilled material. Use an inert absorbent material to absorb spill and dispose of	
	properly.	

SECTION 7: HANDLING AND STORAGE		
Handling		
Handling:	Wear appropriate personal protective equipment for your use. Avoid contact with skin and eyes. Wash thoroughly after handling this product. Avoid inhalation of product.	
	Store in cool, dry, well-ventilated area. Store away from incompatible and reactive materials (See Sections 5 and 10). Store and transport in closed container. Avoid heat and fire as excessive heat may cause the container to rupture. Keep away from children.	

Correction Fluid

WITE-OUT® Ecolutions Water Base Correction Fluid

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

The selection of personal protective equipment varies, depending upon the conditions of use. Use equipment appropriate to your particular use pattern.

Engineering Measures:	For normal application, special ventilation is not necessary. If handling in bulk use mechanical ventilation.
Eye Protection:	Not required except when handling bulk. If handling in bulk wear chemical safety goggles.
Hand Protection:	None necessary under normal conditions. Chemical resistant gloves when handling bulk.
Skin and Body Protection:	Wear appropriate clothing to avoid prolonged or repeated skin contact.
Respiratory Protection:	None necessary under normal use conditions.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
Appearance & Physical State:	Free flowing liquid	
Melting Point:	-5°C (23°F)	
Boiling Point:	100°C (212°F)	
Decomposition Temperature:	Not Available	
Auto-ignition Temperature:	Not Available	
Explosion Properties- Sensitivity to Mechanical Impact: Sensitivity to Static	Not Available	
Discharge:	Not Available	
Density/Specific Gravity:	1.64 (Water =1)	
Odor/Odor Threshold:	Ammoniacal odor / Not Available	
Evaporation Rate:	0.22 (Butyl Acetate=1)	
pH:	7-9 (of product as supplied)	
Octanol/ Water Partition Coefficient	Not Available	
Vapour Pressure:	26.8 mmHg @ 77°F	
Vapour Density:	Not Available	
Solubility in Water:	0.37g/100 mL @ 20°C	

SECTION 10: STABILITY AND REACTIVITY		
Stability:	Stable	
Conditions to avoid:	Avoid heat sources, sparks or flames.	
Materials to avoid:	Avoid strong oxidizing agents, strong acids and strong bases.	
Hazardous	Toxic fumes or gases such as carbon monoxide, carbon dioxide and reactive	
Decomposition Products:	hydrocarbons. Specific decomposition products are not available.	
Hazardous	Not expected to undergo hazardous polymerization.	
Polymerization:		

Correction Fluid

WITE-OUT® Ecolutions Water Base Correction Fluid

	SECTION 11: TOXICO	LOGICAL INFORMAT	ION
Routes of Entry:	Skin contact, Inhalation, E	ye contact, Skin Absorptic	on, Ingestion
Acute Toxicity			
Product data:			
Route & Species	Value		
Oral; rat LD ₅₀	>15 g/kg		
Ingredient data:			
<u>Chemical</u>	<u>CAS#</u>	Route & Species	Value
Ethylene glycol	107-21-1	Dermal; rabbit, LD_{50} Inhalation; rat, LC_{50}	9530 mg/kg >2725 mg/m³/4H (aerosol)
Titanium dioxide	13463-67-7	Dermal; rabbit, LD_{50}	>10 000 mg/kg
Eye Irritation:	Classified as a mild eye in	ritant based on the results	of an <i>in-vitro</i> test procedure.
Skin Irritation:	Not anticipated to be a primary skin irritant based on the results of a human skin patch test and an <i>in-vitro</i> test.		
Skin Sensitization:	Evidence has shown that population (<1%), cause s		in a small proportion of the eated contact.
Respiratory Tract Sensitization:	This product is not known to contain any components at $>= 0.1\%$ that have been shown to cause respiratory tract sensitization. Therefore, based upon the available data and the known hazards of the components, this product is not expected to be a respiratory tract sensitizer.		
Ingestion	Ingestion of a large amount of this product may cause abdominal discomfort, Central Nervous System effects, cardiac effects and pulmonary edema due to the presence of Ethylene Glycol. Severe kidney damage may occur following ingestion of large amounts of ethylene glycol.		
Chronic Toxicity			
Carcinogenicity:	Based on the known haza carcinogenicity risk.	rds of the components, the	e product is not expected to pose a
Mutagenicity:	This product is not known to contain any components at $>= 0.1\%$ that have been shown to cause Mutagenicity. Therefore, based upon the available data and the known hazards of the components, this product is not expected to be a mutagen.		
Reproductive Toxicity:	This product is not known to contain any components at $>= 0.1\%$ that have been shown to cause reproductive toxicity. Therefore, based upon the available data and the known hazards of the components, this product is not expected to be a reproductive toxin.		
Teratogenicity/Embryotoxicity			
Other Chronic Effects:	This product is not known to cause other Chronic tox	to contain any component tic effects. Therefore, bas ponents, contact with this	ts at >= 1.0% that have been showr ed upon the available data and the product is not expected to cause
Toxicologically Synergistic Materials:	Not Available		

Correction Fluid

WITE-OUT® Ecolutions Water Base Correction Fluid

SECTION 12: ECOLOGICAL INFORMATION	
Mobility:	Not Available
Persistence/ Degradability:	Not Available
Bioaccumulation:	Not Available
Ecotoxicity:	Not Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method: In accordance with local, provincial, federal, or territorial guidelines and regulations.

SECTION 14 - TRANSPORT INFORMATION						
	Shipping name	UN Number	Hazard Class	PG		
TDG (Canada):	Not Regulated	-	-	-		

	SECTION 15	- REGULAT		IATION		
Canada:	This product has been classified in accordance with the hazard criteria of the <i>Controlled Products Regulations</i> and the MSDS contains all the information required by the <i>Controlled Products Regulations</i> .					
WHMIS C	assification:					
Not controll	ed					
OSHA Cla Non hazard	ssification: (OSHA Hazard C ous	Communicatio	n Standard (29 (CFR §1910.1200))		
	Hazard Ratings					
	NPCA/HMIS	0	NFPA	704		
Health:	1			1		
Flammabilit	y: 1			1		
Reactivity:	0			0		
labelling as (Proposition None of the	on 65). None of the ingredient	Safe Drinkin ts in this pro are listed as	ng Water and To duct are Class an Extremely H	oxic Enforcement Act of 1986		
Regulated	under SARA 311/312 A	cute: no	Chronic: no	Fire: no		

SECTION 16 - OTHER INFORMATION

Disclaimer: The information given is based on data currently available to us and is believed to be correct. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. No responsibility is assumed for injury or damage from the use of the products described herein.